PERMITTEE NAME/ADDRESS (*Include Facility Name/Location if Different*)

NAME ROCK FALLS, CITY OF

ADDRESS 603 W 10TH ST
ROCK FALLS, IL 61071

FACILITY LOCATION ROCK FALLS, CITY OF
101 CIEARWATER DR.
ROCK FALLS, IL 61071

ATTN: WILLIAM WESCOTT

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

IL0078301	INF-L
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD	MM	DD	YYYY		MM	DD	YYYY
FROM	01	01	21	TO	01	31	21

DMR Mailing ZIP CODE: 61071
MAJOR
(SUBR 01)
INFLUENT MONITORING AND REPORTING
INFLUENT STRUCTURE
***NO DISCHARGE ☐ ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)		QUANTITY OR LOADING VALUE	QUANTITY OR LOADING VALUE	QUANTITY OR LOADING UNITS	QUANTITY OR CONCENTRATION VALUE	QUANTITY OR CONCENTRATION VALUE	QUANTITY OR CONCENTRATION VALUE	QUANTITY OR CONCENTRATION UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS	SAMPLE TYPE
BOD, 5-Day (20 DEG. C) 00310 1 0 RAW SEW / INFLUENT	SAMPLE MEASUREMENT	******	******	(26)	******	105	******	(19)	00	250	CP
	PERMIT REQUIREMENT	******	******	LBS/DY	******	Req. Mon. MO AVG	******	MG/L		3 DAYS WEEK	COMPOS
Solids, Total Suspended 00530 1 0 Raw Sew / Influent	SAMPLE MEASUREMENT	******	******	(26)	******	214	******	(19)	00	250	CP
	PERMIT REQUIREMENT	******	******	LBS/DY	******	Req. Mon. MO AVG	******	MG/L		3 DAYS WEEK	COMPOS
Flow, In Conduit or Thru Treatment Plant 50050 1 0 RAW SEW / INFLUENT	SAMPLE MEASUREMENT	1.338	1.450	(03)	******	******	******		00	105	CN
	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	MGD	******	******	******	**** ****		CONTIN UOUS	CONTIN
	SAMPLE MEASUREMENT								00		
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT								00		
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT								00		
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT								00		
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
William Wescott Mayor	I Certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	Edward J. Cox	815	622-1125	21	02	03
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (*Reference all attachments here*)

PERMITTEE NAME/ADDRESS (*Include Facility Name/Location if Different*)

NAME ROCK FALLS, CITY OF

ADDRESS 603 W 10TH ST
ROCK FALLS, IL 61071

FACILITY LOCATION ROCK FALLS, CITY OF
101 CLEARWATER DR.
ROCK FALLS, IL 61071

ATTN: WILLIAM WESCOTT

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

IL0078301	001-0
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD	MM	DD	YYYY		MM	DD	YYYY
FROM	01	01	21	TO	01	31	21

DMR Mailing ZIP CODE: 61071
MAJOR
(SUBR 01)
STP OUTFALL
EXTERNAL OUTFALL
***NO DISCHARGE ☐ ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		QUANTITY OR LOADING VALUE	QUANTITY OR LOADING VALUE	QUANTITY OR LOADING UNITS	QUANTITY OR CONCENTRATION VALUE	QUANTITY OR CONCENTRATION VALUE	QUANTITY OR CONCENTRATION VALUE	QUANTITY OR CONCENTRATION UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS	SAMPLE TYPE
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	1.181	1.370	(03)	******	******	******		00	105	CN
	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	MGD	******	******	******	**** ****		CONTIN UOUS	CONTIN
Chlorine, Total Residual 50060 1 1 1 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	0	(19)	00	500	GR
	PERMIT REQUIREMENT	******	******	**** ****	******	******	.05 DAILY MX	MG/L		Chlorinati on/	GRAB
BOD, Carbonaceous 05 DAY, 20C 80082 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	11	15	(26)	******	1	1	(19)	00	250	CP
	PERMIT REQUIREMENT	626 MO AVG	1251 DAILY MX	LBS/DY	******	10 MO AVG	20 DAILY MX	MG/L		3 DAYS WEEK	COMPOS
	SAMPLE MEASUREMENT								00		
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT								00		
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT								00		
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT								00		
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
William Wescott Mayor	I Certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	Edward J. Cox	815	622-1125	21	02	03
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (*Reference all attachments here*)

PERMITTEE NAME/ADDRESS (*Include Facility Name/Location if Different*)

NAME ROCK FALLS, CITY OF

ADDRESS 603 W 10TH ST
ROCK FALLS, IL 61071

FACILITY LOCATION ROCK FALLS, CITY OF
101 CLEARWATER DR.
ROCK FALLS, IL 61071

ATTN: WILLIAM WESCOTT

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

IL0078301	001-0
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD	MM	DD	YYYY		MM	DD	YYYY
FROM	01	01	21	TO	01	31	21

DMR Mailing ZIP CODE: 61071
MAJOR
(SUBR 01)
STP OUTFALL
EXTERNAL OUTFALL
***NO DISCHARGE ☐ ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		QUANTITY OR LOADING VALUE	QUANTITY OR LOADING VALUE	QUANTITY OR LOADING UNITS	QUANTITY OR CONCENTRATION VALUE	QUANTITY OR CONCENTRATION VALUE	QUANTITY OR CONCENTRATION VALUE	QUANTITY OR CONCENTRATION UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS	SAMPLE TYPE
Oxygen, Dissolved (DO)	SAMPLE MEASUREMENT	******	******		8.8	8.6	8.6	(19)	00	250	GR
00300 1 1 Effluent Gross Value	PERMIT REQUIREMENT	******	******	**** ****	5.5 MO AV MN	4.0 MN WK AV	3.5 DAILY MN	MG/L		3 DAYS WEEK	GRAB
PH	SAMPLE MEASUREMENT	******	******		7.8	******	8.0	(12)	00	250	GR
00400 1 0 Effluent Gross Value	PERMIT REQUIREMENT	******	******	**** ****	6.0 MINIMUM	******	9.0 MAXIMUM	SU		3 DAYS WEEK	GRAB
Solids, Total Suspended	SAMPLE MEASUREMENT	21	55	(26)	******	2	6	(19)	00	250	CP
00530 1 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	751 MO AVG	1501 DAILY MX	LBS/DY	******	12 MO AVG	24 DAILY MX	MG/L		3 DAYS WEEK	COMPOS
NITROGEN, TOTAL	SAMPLE MEASUREMENT	******	******		******	9.40	******	(19)	00	285	CP
00600 1 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	Req. Mon. MO AVG	******	MG/L		MONTHLY	COMPOS
Nitrogen, Ammonia Total (as N)	SAMPLE MEASUREMENT	0	1	(26)	******	0.046	0.080	(19)	00	250	CP
00610 1 3 Effluent Gross Value	PERMIT REQUIREMENT	250 MO AVG	726 DAILY MX	LBS/DY	******	4.0 MO AVG	11.6 DAILY MX	MG/L		3 DAYS WEEK	COMPOS
Total (as N) 00610 8 6	SAMPLE MEASUREMENT	0.4	******	(26)	******	0.1	******	(19)	00	250	CP
Other Treatment, Process Complete	PERMIT REQUIREMENT	626 WK AV	******	LBS/DY	******	10.0 WK AV	******	MG/L		3 DAYS WEEK	COMPOS
PHOSPHORUS, TOTAL (as P)	SAMPLE MEASUREMENT	0.2	******	(26)	******	0.02	******	(19)	00	250	CP
00665 1 0 Effluent Gross Value	PERMIT REQUIREMENT	63 MO AVG	******	LBS/DY	******	1 MO AVG	******	MG/L		3 DAYS WEEK	COMPOS

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
William Wescott Mayor	I Certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	Edward J Cox	815	622-1125	21	02	03
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (*Reference all attachments here*)